

38-520

Excellent chemical resistance including solvent or strong acids

Previously known as: ChemTekTM 38-520

Chemical-resistant butyl gloves, protecting wearers against aggressive hazards in comfort

- Specialized protection: AlphaTec® 38-520 industrial gloves offer superb protection against harsh chemical hazards, such as aldehydes, ketones, esters and concentrated mineral acids
- Reduced allergy risks: Latex-free by design, these butyl gloves eliminate latex allergy risks
- Improved ergonomics: AlphaTec® 38-514
 protective gloves are also comfortable, with a
 naturally curved shape and soft feel, improving
 workplace safety while making donning and
 doffing easy
- Enhanced flexibility: In addition, their soft butyl formulation heightens their flexibility and dexterity
- Strengthened grip: These flexible work gloves also feature a rough finish around the hand area, reinforcing grip performance, for more secure, confident handling

Industries

- Life Sciences
- Energy
- Chemical

Applications

- Chemical Handling
- Opening and draining pumps valves or lines
- Filling, blending and charging of raw materials
- Equipment repair & maintenance







38-520

Excellent chemical resistance including solvent or strong acids

Previously known as: ChemTekTM 38-520

Performance Profile

Key Features

- Butyl polymer: Resistance to harsh chemical hazards*
- Latex-free formulation: Latex allergy risks eliminated
 - Ergonomic design and soft feel: Fitted comfort, ease of use *including aldehydes, ketones, esters and concentrated mineral acids
- Product tested to and confirms to the requirements of EN 16350. Inclusion of EN 16350 into product certification still pendina

Vulcanization Chemical Accelerators

- 2-Mercaptobenzothiazole disulfide
- Dipentamethylene thriuram disulfide
- Tetramethylthiuram disulfide

Only a very small number of users may be sensitive to this ingredient(s) and hence may develop irritant and/or allergic contact reactions.



Performance Standards









EN ISO 374-1:2016 Type A **ABCIKLNPST**

EN ISO 374-5:2016

Specifications

BRAND STYLE	DESCRIPTION	SIZE	Length (MM/INCHES)	COLOR	PACKAGE
AlphaTec® 38- 520	Coating Material: Butyl Polymer	7, 8, 9, 10, 11	355 / 14	Black	36 pairs/carton. Individually wrapped with insert

Europe, Middle East & Africa Region

Ansell Healthcare Europe NV Ansell Healthcare Europ Riverside Business Park Blvd International, 55 1070 Brussels, Belgium T: +32 (0) 2 528 74 00 F: +32 (0) 2 528 74 01

Canada Ansell Canada Inc.

Ansell Canada Inc. 105, rue Lauder Cowansville (Québec) J2K 2K8, Canada T: 1800 363-8340 F: 1888 267-3551

North America Region

Ansell Healthcare Products LLC 111 Wood Avenue South, Suite 210 Iselin, NJ 08830, USA T: +1 800 800 0444 F: +1 800 800 0445

Latin America & Caribbean Region

Ansell Commercial Mexico S.A. Blvd. Bernardo Quintana No. 7001-C Blvd. Bernardo Quintana No. 70 Q7001 Torre II. Suites 1304, 1305 y 1306. Col. Centro Sur, c.p. 76079 Queretaro, Qro. Mexico T: +52 442 248 1544 / 248 3133



