

## 2000 STANDARD Bound - Model 103

Advanced, breathable microporous laminate protective suit, ideal for many industrial applications

Previously known as: MICROGARD® 2000 STANDARD - Model 103

### Advanced, breathable microporous laminate protective suit, ideal for many industrial applications.

- **Specialized protection:** The AlphaTec® 2000 STANDARD Bound - Model 103 offers users moderate chemical resistance\*, guarding against low concentration liquid chemicals, as well as liquid and particulate biohazards
- **Advanced breathability:** The water vapor permeability of its microporous polyethylene laminate nonwoven fabric offers greater heat stress protection
- **Assured antistatic capabilities:** This protective suit also comes with EN 1149-5 antistatic certification
- **Reduced cross contamination risks:** Cross contamination risk in critical zones are diminished by its fabric's low-linting nature
- **Limited surface defect risks:** This protective body suit is also silicone-free, reducing the risk of contaminant transfer to metal prior to painting
- **Enhanced fit and features:** An optimized body fit makes for a truly comfortable protective suit, while a collar ensures neck-level protection

\*CE Category III Type 5/6 protection



## Industries

- Life Sciences
- Automotive
- Metal fabrication
- Food Processing
- Defense
- Agriculture
- Automotive Aftermarket
- Chemical
- Emergency Medical Services
- Machinery and Equipment
- Energy
- Utilities
- Nuclear

## Applications

- Clean room cleaning and preparing
- Body painting including surface inspection
- Production line support & maintenance
- Cleaning of plant and machines
- Maintenance of plant and machines
- Veterinary Services


## KEY FEATURES & BENEFITS

- **Protective barrier:** Low concentration liquid chemicals, liquid and particulate biological hazards
- **Microporous laminate fabric:** For breathable defenses against heat stress
- **EN 14126 and ASTM F1670/1671 compliance:** Bloodborne pathogen protection

## Material Diagram



## Seam Diagram



Performance Standards



Product Information

| Product Information |   |
|---------------------|---|
| Available Sizes     | S, M, L, XL, 2XL, 3XL, 4XL, 5XL   |
| Color               | White   |
| Country Of Origin   | Sri Lanka   |
| Models Available    | 111, 102, 113, 122,   |
| Packaging Overview  | Individually Packed   |
| Product Material    | Microporous polyethylene Laminate non-woven                                     |
| Product Reference   | 2000 STANDARD Bound - Model 103   |
| Standards Overview  | CE CATEGORY III (Type 5-B, Type 6-B, EN 1073-2, EN 14126, DIN 32781, EN 1149-5) |
| Seam Type           | Bound   |
| Shelf Life          | 5 years   |
| Style Number        | W20B103   |

Suit components & accessories

| Suit Components and Accessories |   |
|---------------------------------|---|
| Design Features                 | Coverall with collar, 2-way front zipper with re-sealable storm flap, finger loops. Elasticated waist, ankles and wrists. |

For additional information visit us at [www.ansell.com](http://www.ansell.com), or call us at

**Europe, Middle East & Africa Region**  
Ansell Healthcare Europe NV  
T: +32 (0) 2 528 74 00

**North America Region**  
Ansell Healthcare Products LLC  
T: +1 800 800 0444

**Australia**  
Ansell Limited  
T: +61 1800 337 041

**Asia Pacific Region**  
Ansell Global Trading Center  
T: +603 8310 6688

**Latin America & Caribbean Region**  
Ansell Commercial Mexico S.A. de C.V.  
T: +52 442 248 1544 / 248 3133

Ansell, ® and ™ are trademarks owned by Ansell Limited or one of its affiliates. US Patented and US and non-US Patents Pending: [www.ansell.com/patentmarking](http://www.ansell.com/patentmarking) © 2025 Ansell Limited. All Rights Reserved.

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.