Like all Nilfisk high-pressure washers, the MC 2C platform was engineered to provide exemplary pressure-washing results – but there's always room for improvement, so we've increased the machines's cleaning effectiveness and efficiency through the primary point of contact: the pump.

The MC 2C line comprises models designed for routine semi-professional use mainly by tradesmen, on small construction sites, agriculture or small contract cleaners.

The compact cold water line that combines high performance level for increased cleaning efficiency, ergonomics and durability for superior everyday cleaning.

- Powerful detergent application with universal foam sprayer easy to use
- 4-in-1 nozzle ensures easy change between nozzles always the right nozzle for almost all cleaning tasks and applications
- New hose-reel guide for an easy, one-handed rollup and protected hose storage
- Easier water-flow regulation for a quick adjustment according to the cleaning tasks



- Ergo 2000 spray gun and ergonomic accessory concept improve handling and reduce strain
- Easy transport and storage (wheels, telescopic handle, lifting bar)
- · High-quality alloy pump head and automatic start/stop for a high wear resistance


#### Standard equipment

Included accessories		Ref. no.	Min. required	MC 2C-120/520 XT EU	MC 2C-120/520 T UK	MC2C-140/610 XT EU - 16A
High Pressure	High Pressure Hose, DN6					
	HOSE DN6 10M 1W FOR P-2	126528620	0		•	
O	HOSE DN6 15 M 1W AGR-AGR	6528613	0			•

#### Standard equipment

Included accessories		Ref. no.	Min. required	MC 2C-140/610 XT UK	MC2C-150/650 EU - 16A	MC2C-150/650 XT EU - 16A
High Pressur	e Hose, DN6					
0	HOSE DN6 10M 1W FOR P-2	126528620	0		•	
O	HOSE DN6 15 M 1W AGR-AGR	6528613	0	•		•





Model	MC 2C-120/520 XT EU	MC 2C-120/520 T UK	MC2C-140/610 XT EU - 16A
Ref. no.	128471354	128471494	128471495
PRODUCT FEATURES			
Stainless steel pistons	•	•	•
Hose reel	•		•
Automatic start/stop	•	•	•
Spray Gun Holder	•	•	•
Cable hook, turnable	•	•	•
Foam Sprey	•	•	•
Detergent Tank 2,5 Lt	•	•	•
Model	MC 2C-140/610 XT UK	MC2C-150/650 EU - 16A	MC2C-150/650 XT EU - 16A
Ref. no.	128471496	128471497	128471498
PRODUCT FEATURES			
Stainless steel pistons	•	•	•
Hose reel	•		•
Automatic start/stop	•	•	•
Spray Gun Holder	•	•	•
Cable hook, turnable	•	•	•
Foam Sprey	•	•	•
Detergent Tank 2,5 Lt	•	•	•
Technical specifications	MC 2C-120/520 XT EU	MC 2C-120/520 T UK	MC2C-140/610 XT EU - 16A
Pump Pressure (bar/MPa)	120/12	120/12	140/14
Cleaning impact (kg/force)	2.2	2.2	2.5
Pump (RPM)	2800	2800	2800
Power consumption (kW)	2.3	2.3	2.9
Voltage/phase/frequency/current (V/~/Hz/A)	230/1/50/10	230/1/50/10	230/1/50/12.6
Water flow Qmax/Qiec (I/h)	520/470	520/470	610/540
El cable (m)	5	5	5
Nozzle size	0340	0340	0340
Max. inlet temperature (°C)	60	60	60
Stainless steel pistons	3	3	3
Dimensions, L x W x H (mm)	394x391x955	394x391x955	394x391x955
Suction height dry (m)			0.5
Cucation noight any (in)	0.5	0.5	0.5
Weight (kg)	0.5 28.1	0.5 27.3	28.1



Technical specifications	MC 2C-140/610 XT UK	MC2C-150/650 EU - 16A	MC2C-150/650 XT EU - 16A
Pump Pressure (bar/MPa)	140/14	150/15	150/15
Cleaning impact (kg/force)	2.5	2.9	2.9
Pump (RPM)	2800	2800	2800
Power consumption (kW)	2.9	3.3	3.3
Voltage/phase/frequency/current (V/~/Hz/A)	230/1/50/12.6	230/1/50/14.5	230/1/50/14.5
Water flow Qmax/Qiec (I/h)	610/540	650/570	650/570
El cable (m)	5	5	5
Nozzle size	0340	0340	0340
Max. inlet temperature (°C)	60	60	60
Stainless steel pistons	3	3	3
Dimensions, L x W x H (mm)	394x391x955	394x391x955	394x391x955
Suction height dry (m)	0.5	0.5	0.5
Weight (kg)	28.1	27.3	27.3
Recommended avg. hours of use per day	1	1	1

 $<sup>\</sup>bullet$  Standard equipment,  $^{\bigcirc}$  Supplementary accessories,  $^{\square}$  Mountable equipment

	Accessories	Ref. no.	Min. required	MC 2C-120/520 XT EU	MC 2C-120/520 T UK	MC2C-140/610 XT EU - 16A		
High Pressure	High Pressure Hose, DN6							
O	HOSE DN6 10M 1W FOR P-2	126528620	0		•			
0	HOSE DN6 15 M 1W AGR-AGR	6528613	0	0	0	•		
Hose and Co	nnection							
	NILFISK BA VALVE WO COUPLER	106411184	0	0	0	0		
Surface Clea	ning Rotary	'	'					
	HYDROSCRUB P300 P+H	106403187	0	0	0	0		
Injector and F	oam Sprayer							
	NILFISK FOAMSPRAYER VARIO 1 LTR 037	106408234	0	0	0	0		



	Accessories	Ref. no.	Min. required	MC 2C-120/520 XT EU	MC 2C-120/520 T UK	MC2C-140/610 XT EU - 16A
Drain and Pip	e Cleaning					
	DRAIN AND PIPE HPW SET DN6 15M PVC	128501789	0	0	0	0
	DRAIN AND PIPE HPW SET DN6 15M SAE100R7	128501790	0	0	0	0
	DRAIN AND PIPE HPW SET DN6 30M SAE100R7	128501791	0	0	٥	0

 $<sup>\</sup>bullet$  Standard equipment,  $^{\bigcirc}$  Supplementary accessories,  $^{\square}$  Mountable equipment

Accessories Ref. no. Ref. no. Min. required MC2C-150/650 EU - 16A							
High Pressure Hose, DN6							
0	HOSE DN6 10M 1W FOR P-2	126528620	0		•		
0	HOSE DN6 15 M 1W AGR-AGR	6528613	0	•	0	•	
Hose and Co	nnection						
	NILFISK BA VALVE WO COUPLER	106411184	0	0	0	0	
Surface Clea	ning Rotary	-			1		
	HYDROSCRUB P300 P+H	106403187	0	0	0	0	
Injector and F	oam Sprayer						
	NILFISK FOAMSPRAYER VARIO 1 LTR 037	106408234	0	0	0	0	
Drain and Pip	e Cleaning						
	DRAIN AND PIPE HPW SET DN6 15M PVC	128501789	0	0	0	0	



Accessories	Ref. no.	Min. required	MC 2C-140/610 XT UK	MC2C-150/650 EU - 16A	MC2C-150/650 XT EU - 16A
DRAIN AND PIPE HPW SET DN6 15M SAE100R7	128501790	0	0	0	0
DRAIN AND PIPE HPW SET DN6 30M SAE100R7	128501791	0	0	0	0

