

## NT 48/1 \*110V

Compact 48 litre wet & dry multi-purpose vacuum, with 110v power supply.



Order no. **1.428-618.0**

### Technical data

EAN code		4054278258249
Number of current phases	Ph	1
Voltage	V	110 - 110
Frequency	Hz	50 - 60
Air flow	l/s	68
Vacuum	mbar / kPa	229 / 22.9
Container capacity	l	48
Container material		Plastic
Rated input power	W	max. 1200
Cable length	m	7.5
Sound pressure level	dB(A)	71
Colour		anthracite
Weight without accessories	kg	10.2
Weight incl. packaging	kg	12.6
Dimensions (L × W × H)	mm	770 × 390 × 485

### Equipment

Suction hose length	m	2.5
Bend		Plastic
Quantity of suction tubes	Piece(s)	2
Suction tubes length	mm	550
Suction tubes material		Stainless steel
Quantity of filter bags	Piece(s)	1
Filter bag material		Paper
Wet/dry floor nozzle width	mm	360
Crevice nozzle		■
Cartridge filter		PES
Drain hose		■
Sturdy bumper		■
Stop swivel castor		■

■ Included in delivery.



## Container emptying

- Easily accessible drain hose for convenient liquid disposal.



## Accessory storage

- Accessories can be attached to the container at the rear of the machine.



## Robust metal latches

- The extremely robust metal latches lock more reliably.

## EQUIPMENT FOR NT 48/1 \*110V 1.428-618.0



		Order no.	Description	
<b>CARTRIDGE FILTER, STANDARD, BIA C OR UP TO DUST CLASS M</b>				
<b>Cartridge filter PES</b>				
Cartridge filter packaged PES	1	2.889-219.0	Moisture-resistant PES cartridge filter for wet and dry vacuum cleaning. Dust class L-certified.	■
<b>BENDS</b>				
<b>Plastic bend</b>				
Elbow packaged NW35 1K	2	2.889-199.0	Plastic elbow, grey, with C-35 clip system.	■
Elbow complete packaged NW35 2K	3	2.889-168.0	Ergonomic bend for the new clip system. Electrically conductive design. Particularly suited to high concentrations of fine dust.	□
<b>SUCTION NOZZLES</b>				
<b>All-purpose nozzles (wet/dry)</b>				
Floor tool packaged NW35 360mm	4	2.889-152.0	360 mm wide wet and dry floor nozzle with easy-to-change inserts. Including brush strips and squeegees.	■
<b>Crevice nozzles</b>				
Crevice nozzle wet and dry packaged NW35	5	2.889-159.0	Crevice nozzle ID 35, for new Tact range.	■
<b>All-purpose brushes</b>				
All-purpose brush	6	6.900-425.0	All-purpose brush PPN_Bristle	□
<b>Car cleaning nozzles</b>				
Ergonomic car nozzle, ID 35, 100 mm	7	2.889-356.0		□
<b>Suction brushes</b>				
Suction brush DN35	8	6.903-862.0	Rotatable suction brush (DN 35) with natural bristles (cow hair). Bristle size 70x45 mm. Only CV and NT vacuum cleaners.	□
<b>SUCTION TUBES</b>				
<b>Suction tubes stainless steel</b>				
Set suction tube stainless steel NW35 55	9	2.889-192.0	Stainless steel suction tube set (2 × 0.55 m)	■
<b>Suction tubes plastic</b>				
Set suction tube DN35 505mm	10	2.889-218.0	Plastic suction tube set, NW 35, grey, 2 -part, each 0.5 metres.	□
<b>SUCTION HOSES</b>				
<b>Suction hoses with clip system 2.0 (compatible with vacuum cleaners from model year 2017 on)</b>				
Suction hose	11	2.889-134.0	2.5 m suction hose with new bayonet and clip fastener.	■
Electrically conductive suction hose	12	2.889-136.0	Electrically conductive suction hose with new bayonet and clip fastener. Length: 2.5 m.	□
Extension hose packaged NW35 2.5m	13	2.889-145.0	Extension hose for new clip system ID 35. Length: 2.5 m.	□
<b>VACUUMS</b>				
<b>Nozzles</b>				
Flexible Crevice Nozzle	14	2.863-374.0	Flexible crevice nozzle for cleaning hard-to-reach areas in the home, basement, workshop, car, etc. with Home & Garden wet and dry vacuum cleaners and spray extraction cleaners.	□

■ Included in delivery. □ Available accessories.

## EQUIPMENT FOR NT 48/1 \*110V 1.428-618.0



15



16



17



18



19

		Order no.	Description	
<b>FILTER T/ NT</b>				
<b>Coarse filter for wet pickup</b>				
Filter	15	5.731-595.0		<input type="checkbox"/>
<b>Special filter bags, wet filter bags</b>				
Filter bag 5St. Kae.	16	6.904-211.0	Tear-resistant special/wet filter bag for dust class L, suitable for dry and wet pick up. Suitable for NT 561, NT 611 and NT 611 K.	<input type="checkbox"/>
<b>Membrane filter / fabric filter</b>				
Membrane filter, NT 27/1, NT 48/1	17	6.906-103.0	Polyester needle fleece membrane/fabric filter, washable up to 40°C. For NT 27/1/Me Advance, NT 48/1, NT 351 Eco/Professional.	<input type="checkbox"/>
<b>CONNECTING SLEEVES</b>				
<b>Connecting sleeve C-DN (clip on taper), EL (electroconductive)</b>				
Connection cone NW35	18	5.407-005.0		<input type="checkbox"/>
<b>OTHER ACCESSORIES FOR T AND NT</b>				
Adapter connection old elektr. leitend	19	5.031-436.0		<input type="checkbox"/>

■ Included in delivery. □ Available accessories.