

Heavy-Duty Mobile Safety Step (Punched)



[Representative image of product]

Product Description

Suitable for construction, military and warehouse applications with extra wide treads and a large working platform. Kitemarked to the demanding EN131-7 British Standard with additional bracing making it suitable for more frequent use applications. Available in a range of sizes with an all-metal punched tread for maximum grip.

Features

- Extra-large 700 x 560mm platform with intermediate guardrails and toe boards
- Extra wide 700 x 180mm deep treads for comfort and safety
- Please Note, 10 tread & above supplied in 2 parts
- Easy one user manoeuvrability on 4 x rolling wheels
- Optional extras available for full customisation
- Not suitable for outdoor use

Specifications

- Brand: TB Davies
- Warranty: 1-year
- Standard: BS EN 131-7:2013
- Material: Steel
- Commodity Code: 73269030
- Country of Origin: GB
- Recommended Usage: Intensive

Common Dimensions

- Rung Depth: 180mm
- Distance Between Rungs: 210mm
- Handrail Height: 950mm

Availability & Delivery

Non-stock item. Delivery Up To 21 Days.
(See exceptions, if applicable, overleaf)

Heavy-Duty Mobile Safety Step (Punched)

Product Dimensions

SKU	Treads	Platform Height	Approx. Working Height ¹ (mm)	Height (mm)	Width (mm)	Depth (mm)	Nett Weight (kg)
2019-004	4	900	2500	1900	954	1123	40.0
2019-005	5	1125	2725	2125	1004	1278	45.0
2019-006	6	1350	2950	2350	1054	1433	50.0
2019-007	7	1575	3175	2575	1104	1588	55.0
2019-008	8	1800	3400	2800	1154	1743	60.0
2019-009	9	2025	3625	3025	1204	1898	65.0
2019-010	10	2250	3850	3250	1254	2053	85.0
2019-011	11	2475	4075	3475	1304	2208	95.0
2019-012	12	2700	4300	3700	1354	2363	105.0
2019-013	13	2925	4525	3925	1404	2518	110.0
2019-014	14	3150	4750	4150	1454	2673	120.0
2019-015	15	3375	4975	4375	1504	2828	130.0

¹ Working height is calculated as 1,600mm plus platform height or last climbing tread, whichever is appropriate. Ladders set at an angle of 75° degrees.
Note that 10 tread and above are supplied in 2 sections, which require bolting together before first use.

Shipping Dimensions

SKU	Barcode	Shipping Length (mm)	Shipping Width (mm)	Shipping Depth (mm)	Shipping Volume (m ³)	Gross Weight (kg)
2019-004	5060169481633	1900	1123	954	2.036	40.0
2019-005	5060169481640	2125	1278	1004	2.727	45.0
2019-006	5060169481657	2350	1433	1054	3.549	50.0
2019-007	5060169481664	2575	1588	1104	4.514	55.0
2019-008	5060169481671	2800	1743	1154	5.632	60.0
2019-009	5060169481688	3025	1898	1204	6.913	65.0
2019-010	5060169481695	3250	2053	1254	8.367	85.0
2019-011	5060169481701	3475	2208	1304	10.005	95.0
2019-012	5060169481718	3700	2363	1354	11.838	105.0
2019-013	5060169481725	3925	2518	1404	13.876	110.0
2019-014	5060169481732	4150	2673	1454	16.129	120.0
2019-015	5060169481749	4375	2828	1504	18.608	130.0

Please note that products marked '**Special Order**' cannot be cancelled and are non-returnable once orders are acknowledged and placed.
This document is presented as a guide only; It is subject to change without notice and as such is not legally binding, nor does it form part of any contract.

Heavy-Duty Mobile Safety Step (Punched)

Optional Extras / Spare Parts

SKU	Description
2004-105	Platform Gate To End
2004-106	Platform Gate To Side (Left Hand Side)
2004-107	Platform Gate To Side (Right Hand Side)
2004-108	Platform Double Hinged Bar To End
2004-109	Platform Double Hinged Bar To Side (Left)
2004-110	Platform Double Hinged Bar To Side (Right)
2004-111	Platform Chain To Rear
2004-112	Platform Chain To Side (Left)
2004-113	Platform Chain To Side (Right)
2004-123	Hook On Wire Basket
2004-118	Bottom Safety Access Denied Gate
2004-122	Platform Chain To Front

For all Warehouse Steps Options, please refer to Options PDF. Note that this applies to certain models only.

Please note that products marked '**Special Order**' cannot be cancelled and are non-returnable once orders are acknowledged and placed.

This document is presented as a guide only; It is subject to change without notice and as such is not legally binding, nor does it form part of any contract.