

2

\*

Printing date 22.01.2015

# Safety data sheet according to 1907/2006/EC, Article 31

Version: 1

Revision: 22.01.2015

SE	ECTION 1: Identification of the substance/mixture and of the company/undertaking
· 1.1	Product identifier
· Tra	ade name: <u>De-Solv-It® Sticky Stuff Remover Liquid</u>
• 1.2 • Sec SU	ticle number: 4012 2 Relevant identified uses of the substance or mixture and uses advised against ctor of Use 121 Consumer uses: Private households / general public / consumers 122 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
· Ap	plication of the substance / the mixture Cleaning agent/ Cleaner
· 1.3 · Ma ZE PO Wia Un Pha FA @:	B Details of the supplier of the safety data sheet anufacturer/Supplier: P UK Ltd D Box 12 Tanhouse Lane dnes Cheshire, WA8 0RD wited Kingdom one: +44 0151 422 1000 X: +44 0151 422 1011 info@zep.co.uk b: www.zep.co.uk
Vie 46 The Tel Fa:	P Industries BV erlinghweg 30 12 PN Bergen op Zoom e Netherlands 1: (NL) + 31 164 250 100 (B) + 32 2 347 0117 x:(NL) + 31 164 266 710 (B) + 32 2 347 1395 · sales@zepbenelux.com
Via 040 Tel Fa: @:	P ITALIA SRL a Netunese Km. 25.000 011 Aprilia (LT) - Italy 1: +39.06.926691 x: +39.06.92747061 · tecnico@zepeurope.com o: www.zep.it
Cu NL B: IT: UK • 1.4 Cu NL B: IT:	<i>stomer Service x</i> : <i>Tel:</i> + 31 164 250 100 Fax: + 31 164 266 710 <i>Tel:</i> + 32 2 347 0117 Fax: + 32 2 347 1395 <i>Tel:</i> + 39 069 266 91Fax: + 39 06.927 470 61 <i>X</i> : <i>Tel:</i> + 44 151 422 1000 Fax: + 44 151 422 1011 <b>Pemergency telephone number:</b> <i>stomer Service x</i> : <i>Tel:</i> + 31 164 250 100 Fax: + 31 164 266 710 <i>Tel:</i> + 32 2 347 0117 Fax: + 32 2 347 1395 <i>x</i> : <i>Tel:</i> + 39 069 266 91Fax: + 39 06.927 470 61 <i>X</i> : <i>Tel:</i> + 44 151 422 1000 Fax: + 44 151 422 1011
07	
· 2.1 · Cla Asp · Cla Xn, R6.	ECTION 2: Hazards identification Classification of the substance or mixture assification according to Regulation (EC) No 1272/2008 p. Tox. 1 H304 May be fatal if swallowed and enters airways. assification according to Directive 67/548/EEC or Directive 1999/45/EC ; Harmful 5: Harmful: formation concerning particular hazards for human and environment:
The EU • <b>Cla</b>	cormation concerning particular nazaras for numan and environment: e product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the I" in the latest valid version. assification system: e classification is according to the latest editions of the EU-lists, and extended by company and literature data.
·La	Cabel elements belling according to Regulation (EC) No 1272/2008 e substance is classified and labelled according to the CLP regulation. (Contd. on page
	(Contd. on page

Printing date 22.01.2015

Version: 1

Trade name: De-Solv-It® Sticky Stuff Remover Liquid

pard pictograms With the second state of the second state second state of the second state second state of the second state second	
nal word Danger         card-determining components of labelling:         lrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics         card statements         04 May be fatal if swallowed and enters airways.         cautionary statements         02       Keep out of reach of children.         00       Do not breathe fume.	
nal word Danger         card-determining components of labelling:         lrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics         card statements         04 May be fatal if swallowed and enters airways.         cautionary statements         02       Keep out of reach of children.         00       Do not breathe fume.	
nal word Danger         card-determining components of labelling:         lrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics         card statements         04 May be fatal if swallowed and enters airways.         cautionary statements         02       Keep out of reach of children.         00       Do not breathe fume.	
nal word Danger         card-determining components of labelling:         lrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics         card statements         04 May be fatal if swallowed and enters airways.         cautionary statements         02       Keep out of reach of children.         00       Do not breathe fume.	
nal word Danger         card-determining components of labelling:         lrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics         card statements         04 May be fatal if swallowed and enters airways.         cautionary statements         02       Keep out of reach of children.         00       Do not breathe fume.	
card-determining components of labelling: Irocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics card statements 04 May be fatal if swallowed and enters airways. cautionary statements 02 Keep out of reach of children. 13 Do not breathe fume.	
card-determining components of labelling: Irocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics card statements 04 May be fatal if swallowed and enters airways. cautionary statements 02 Keep out of reach of children. 13 Do not breathe fume.	
<ul> <li>Irocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, &lt;2% aromatics</li> <li>card statements</li> <li>D4 May be fatal if swallowed and enters airways.</li> <li>cautionary statements</li> <li>D2 Keep out of reach of children.</li> <li>D0 not breathe fume.</li> </ul>	
card statements04 May be fatal if swallowed and enters airways.cautionary statements02Keep out of reach of children.00Do not breathe fume.	
04 May be fatal if swallowed and enters airways.cautionary statements12Keep out of reach of children.10Do not breathe fume.	
<i>cautionary statements</i> 2 Keep out of reach of children. 50 Do not breathe fume.	
2Keep out of reach of children.50Do not breathe fume.	
0 Do not breathe fume.	
$\mathbf{J}$	
15+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if	
do. Continue rinsing.	present and easy to
01+P312 IF SWALLOWED: Call a doctor if you feel unwell.	
P1 Do NOT induce vomiting.	
DI Dispose of contents/container in accordance with local/regional/national/international	regulations.
Other hazards The product does not contain any organic halogen compounds (AOX), nitrates, heavy ma	etal compounds.
ults of PBT and vPvB assessment	
<b>T</b> : Not applicable.	
<b>B</b> : Not applicable.	

#### **SECTION 3: Composition/information on ingredients**

· 3.2 Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

#### · Dangerous components:

EC number: 926-141-6 Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics 75-100% Reg.nr.: 01-2119456620-43 🚯 Asp. Tox. 1, H304

#### Ingredients according to Detergents Regulation 648/2004/EC

Aliphatic hydrocarbons

#### **SECTION 4: First aid measures**

· 4.1 Description of first aid measures

- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:
- If skin irritation continues, consult a doctor.

Immediately wash with water and soap and rinse thoroughly.

- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Do not induce vomiting; call for medical help immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

#### **SECTION 5: Firefighting measures**

· 5.1 Extinguishing media

- Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.

· 5.3 Advice for firefighters

· Protective equipment: No special measures required.

#### **SECTION 6: Accidental release measures**

· 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

(Contd. on page 3)

 $\geq 30\%$ 

GB

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 22.01.2015

Version: 1

Revision: 22.01.2015

#### Trade name: De-Solv-It® Sticky Stuff Remover Liquid

Trade name: De-Solv-It® Stic	ky Stuff Remover Liquid				
		(Contd. of page 2)			
Ensure adequate ventilation	n	(contai of page 2)			
· 6.2 Environmental precau					
	ach sewage system or any water course.				
	ers/ surface or ground water.				
	for containment and cleaning up:				
	g material (sand, diatomite, acid binders, universal binders, sawdust).				
Ensure adequate ventilatio	cerial as waste according to item 13.				
• 6.4 Reference to other sec					
See Section 7 for informat					
	ion on personal protection equipment.				
See Section 13 for disposa					
SECTION 7: Handli	ng and storage				
· 7.1 Precautions for safe h					
	chaustion at the workplace.				
Prevent formation of aero.					
Use only in well ventilated					
· Information about fire - a	nd explosion protection: No special measures required.				
	orage, including any incompatibilities				
· Storage:					
	storerooms and receptacles: Provide solvent resistant, sealed floor.				
	e in one common storage facility: Not required.				
• Further information about 7.3 Specific and use(s) No.	<i>t storage conditions:</i> None. further relevant information available.				
· 7.5 Specific ena use(s) 140					
SECTION 8: Exposu	re controls/personal protection				
•					
-	out design of technical facilities: No further data; see item 7.				
• 8.1 Control parameters	4				
-	ues that require monitoring at the workplace: hthylethoxy)propanol (10-25%)				
WEL (Great Britain)	Long-term value: 308 mg/m <sup>3</sup> , 50 ppm				
wEL (Great Britain)	Sk				
IOELV (European Union)	Long-term value: 308 mg/m³, 50 ppm Skin				
· Additional information: T	he lists valid during the making were used as basis.				
· 8.2 Exposure controls	0				
• <i>Personal protective equip</i>	mont				
· General protective and hy					
Keep away from foodstuffs					
Wash hands before breaks					
· Respiratory protection:	·				
Not necessary if room is w	ell-ventilated.				
	rotective device only when aerosol or mist is formed.				
• Protection of hands:					

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

For the permanent contact gloves made of the following materials are suitable:

Nitrile rubber, NBR PVA gloves

(Contd. on page 4)

GB

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 22.01.2015

Version: 1

Revision: 22.01.2015

(Contd. of page 3)

#### Trade name: De-Solv-It® Sticky Stuff Remover Liquid

 $\cdot$  Eye protection: Goggles recommended during refilling

9.1 Information on basic physical a	and chemical properties	
General Information		
Appearance:		
Form:	Liquid	
Colour:	Colourless	
Odour:	Solvent-like	
pH-value:	Not applicable.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	> 180 °C	
Flash point:	> 55 °C	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:	207 °C	
Decomposition temperature:	Not determined.	
Self-igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	0.6 Vol %	
Upper:	14.0 Vol %	
Vapour pressure at 20 °C:	0.1 hPa	
Density at 20 °C:	$0.81 \ g/cm^3$	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
water:	Insoluble.	
Partition coefficient (n-octanol/wat	ter): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	99.8 %	
Solids content:	0.1 %	
9.2 Other information	No further relevant information available.	

### SECTION 10: Stability and reactivity

· 10.1 Reactivity

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

• 10.3 Possibility of hazardous reactions No dangerous reactions known.

 $\cdot$  10.4 Conditions to avoid No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition products: No dangerous decomposition products known.

GB (Contd. on page 5)

Version: 1

Revision: 22.01.2015

### Trade name: De-Solv-It® Sticky Stuff Remover Liquid

(Contd. of page 4)

· Acute toxi		toxicological effects
	-	want for classification:
Hydrocarb	ons, C11-	C14, n-alkanes, isoalkanes, cyclics, <2% aromatics
Oral	LD50	>5000 mg/kg (Rat) (OECD 401)
Dermal	LD50	>5000 mg/kg (Rabbit) (OECD 402 (24 h))
Inhalative	LC50/ 8 h	s > 5000 mg/m3 (Rat) (OECD 403)
• <b>Additional</b> The produc	: No irrita No irritat on: No sen toxicologi et shows th	int effect.
SECTIO		cological information
· Aquatic to.	vicity:	
Hydrocarb	ons, C11-	C14, n-alkanes, isoalkanes, cyclics, <2% aromatics
EL50 (48 h	) >1	1000 mg/l (Daphnia magna (water flea)) (OECD 202)
OECD test	301 F 69	% (biodegradation in % after 28 days)
<ul> <li>Other info</li> <li>12.3 Bioac</li> <li>12.4 Mobin</li> <li>Additional</li> <li>General no</li> <li>Do not allo</li> <li>Danger to</li> <li>12.5 Result</li> <li>PBT: Not of</li> <li>vPvB: Not</li> </ul>	rmation: 1 cumulativ ity in soil ecological otes: w product drinking w ts of PBT applicable. applicable.	
	<mark>N 13: Di</mark> treatment	isposal considerations t methods
• 13.1 Waste		naller quantities can be disposed of with household waste.

### SECTION 14: Transport information

· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void		
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void		
· 14.3 Transport hazard class(es)			
· ADR, ADN, IMDG, IATA · Class	Void		
· 14.4 Packing group · ADR, IMDG, IATA	Void		
			(Contd. on page 6)

GB

#### Safety data sheet according to 1907/2006/EC, Article 31

Version: 1

Printing date 22.01.2015

Revision: 22.01.2015

Trade name: De-Solv-It® Sticky Stuff Remover Liquid

		(Contd. of page 5)
<ul> <li>14.5 Environmental hazards:</li> <li>Marine pollutant:</li> </ul>	No	
· 14.6 Special precautions for user	Not applicable.	
• 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.		
· UN "Model Regulation":	-	

#### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· National regulations:

· Technical instructions (air):

Class Share in %

NK	75-100
----	--------

• Waterhazard class: Water danger class 3 (Self-assessment): extremely hazardous for water.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H304 May be fatal if swallowed and enters airways.

#### · Department issuing MSDS:

**Customer Service** NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710 B: Tel: +32 2 347 0117 Fax: +32 2 347 1395 IT: Tel: +39 069 266 91Fax: +39 06.927 470 61 UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011 · Contact:

**Customer Service** NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710 B: Tel: +32 2 347 0117 Fax: +32 2 347 1395 IT: Tel: +39 069 266 91Fax: +39 06.927 470 61 UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

#### · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent Asp. Tox. 1: Aspiration hazard, Hazard Category 1

 $\cdot$  \* Data compared to the previous version altered.





Rev. Jul-13

## Fast & effective remover of adhesives, tapes, labels & gum.

## De-Solv-it® Sticky Stuff Remover

## **FEATURES/BENEFITS:**

Powerful	Removes adhesives, tapes, gum, labels, greases, bitumen, tar, adhesive residues, wet sealants, paints & crayon
Versatile	For use in Maintenance, Repair & Overhaul applications or cleaning up in the Office, Garage & Workshop; Residue-free finish on surfaces
No chlorines	Non-chlorinated, non-aromatic, no special breathing apparatus required
Conveient	Handy bulk sized bottle for quick & simple application

## USE:

Used neat at ambient temperatures by hand.

For removing adhesives, tapes, labels, adhesive residues, gum, tar, wax, wet sealants & paints from surfaces, shoes, plant, equipment and components.

## **APPLICATIONS:**

Manual removal of sticky messes such as gum & adhesive residues; removing tapes and labels from surfaces & equipment; surface preparation and general maintenance cleaning.

Apply to affected area directly or on a cloth; leave to penetrate for 5-7 minutes; gently scrape the residue from the surface & rinse area with warm soapy water.

For gum & adhesives: pierce the surface of the gum/adhesive before proceeding as above.

For difficult contaminants allow a suitable period of contact time to penetrate and soften the soil before removing.

Compatible with most metals, plastics, rubbers and polymers. Do not use on silk, leather, suede, polystyrene or rubber/foam-backed carpets.

## **PRECAUTIONS:**

For further information see MSDS

## SPECIFICATIONS:

Form	Liquid
Colour	Colourless
Odour	Solvent-like
Melting Point	Undetermined
Boiling Point	180°C
Flashpoint:	>55°C
Density (20 °C)	0,81 g/cm³
Miscibility in water	Insoluble
pH (20°C)	Not applicable