

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 4/17/2015 Revision date: 7/8/2022 Supersedes version of: 9/20/2018 Version: 3.0

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form Product name Product code Vaporizer : Mixture

: ARCO SURVEY SPRAY PAINT GREEN 750ML 5717803

: OW316 490/260

: Aerosol

### **1.2. Relevant identified uses of the substance or mixture and uses advised against**

#### 1.2.1. Relevant identified uses

Intended for general public

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

LMA SERVICES LTD Halifax Way Pocklington Industrial Estate YO42 1NR Pocklington – East Yorkshire England T 01759304676 technical@aerosol.uk.com

#### 1.4. Emergency telephone number

Emergency number

: 01759304676

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	Only for healthcare professionals

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol, Category 1	H222;H229
Aerosol, Category 1	H222;H229
Serious eye damage/eye irritation, Category 2	H319
Reproductive toxicity, Additional category, Effects on or via lactation	H362
Specific target organ toxicity – Single exposure, Category 3, Narcosis	H336
Hazardous to the aquatic environment – Chronic Hazard, Category 2	H411
Full text of H- and EUH-statements: see section 16	

#### Adverse physicochemical, human health and environmental effects

Pressurised container: May burst if heated. Extremely flammable aerosol. May cause harm to breast-fed children. May cause drowsiness or dizziness. Causes serious eye irritation. Toxic to aquatic life with long lasting effects.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 2.2. Label elements

Labelling according to Regulation (EC)	No. 1272/2008 [CLP]
Hazard pictograms (CLP)	
	GHS02 GHS07 GHS09
Signal word (CLP)	: Danger
Contains	: ACETONE, N-BUTYL ACETATE, ALKANES, C14-17, CHLORO, ETHYL ACETATE
Hazard statements (CLP)	: H222 - Extremely flammable aerosol.
	H229 - Pressurised container: May burst if heated.
	H319 - Causes serious eye irritation.
	H336 - May cause drowsiness or dizziness.
	H362 - May cause harm to breast-fed children.
	H411 - Toxic to aquatic life with long lasting effects.
Precautionary statements (CLP)	: P102 - Keep out of reach of children.
	P201 - Obtain special instructions before use.
	P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.
	No smoking.
	P211 - Do not spray on an open flame or other ignition source.
	P251 - Do not pierce or burn, even after use.
	P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
EUH-statements	: EUH066 - Repeated exposure may cause skin dryness or cracking.
	EUH208 - Contains . May produce an allergic reaction.

# 2.3. Other hazards

Contains PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

### SECTION 3: Composition/information on ingredients

# 3.1. Substances

#### Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
ACETONE	CAS-No.: 67-64-1 EC-No.: 200-662-2 EC Index-No.: 606-001-00-8	30 – 50	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
PETROLEUM GASES, LIQUEFIED (Propellant gas (Aerosol))	CAS-No.: 68476-85-7 EC-No.: 270-704-2 EC Index-No.: 649-202-00-6	10 – 30	Flam. Gas 1, H220
N-BUTYL ACETATE	CAS-No.: 123-86-4 EC-No.: 204-658-1 EC Index-No.: 607-025-00-1	1 – 10	Flam. Liq. 3, H226 STOT SE 3, H336
ALKANES, C14-17, CHLORO substance listed as REACH Candidate (Medium-chain chlorinated paraffins (MCCP)) PBT substance; vPvB substance	CAS-No.: 85535-85-9 EC-No.: 287-477-0 EC Index-No.: 602-095-00-X	1 – 10	Lact., H362 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
ETHYL ACETATE	CAS-No.: 141-78-6 EC-No.: 205-500-4 EC Index-No.: 607-022-00-5	1 – 10	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Name	Product identifier		Classification according to Regulation (EC) No. 1272/2008 [CLP]
ISODECYLOXPROPYLAMINE ACETATE	CAS-No.: 28701-67-9	< 1	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Chronic 1, H410

Product subject to CLP Article 1.1.3.7. The disclosure rules of the components is modified in this case. Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general First-aid measures after inhalation First-aid measures after skin contact First-aid measures after eye contact First-aid measures after ingestion	<ul> <li>IF exposed or concerned: Get medical advice/attention.</li> <li>Remove person to fresh air and keep comfortable for breathing.</li> <li>Wash skin with plenty of water.</li> <li>Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.</li> <li>Call a poison center or a doctor if you feel unwell.</li> </ul>
4.2. Most important symptoms and eff	fects, both acute and delayed
Symptoms/effects Symptoms/effects after skin contact Symptoms/effects after eye contact	<ul> <li>May cause drowsiness or dizziness.</li> <li>Repeated exposure may cause skin dryness or cracking.</li> <li>Eye irritation.</li> </ul>

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.	
5.2. Special hazards arising from the substance or mixture		
Fire hazard Explosion hazard Hazardous decomposition products in case of fire	<ul> <li>Extremely flammable aerosol.</li> <li>Pressurised container: May burst if heated.</li> <li>Toxic fumes may be released.</li> </ul>	
5.3. Advice for firefighters		
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.	

SECTION 6: Accidental release measures		
6.1. Personal precautions, protect	tive equipment and emergency procedures	
6.1.1. For non-emergency personnel		
Emergency procedures	: Ventilate spillage area. No open flames, no sparks, and no smoking. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.	
6.1.2. For emergency responders		
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".	

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### **6.2. Environmental precautions**

# Avoid release to the environment. 6.3. Methods and material for containment and cleaning up

For containment: Collect spillage.Methods for cleaning up: Mechanically recover the product.Other information: Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Obtain special instructions before use. Avoid contact during pregnancy/while nursing. Do not breathe dust/fume/gas/mist/vapours/spray. Use only outdoors or in a well-ventilated area. Avoid contact with skin and eyes. Wear personal protective equipment.
Hygiene measures :	Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including an	y incompatibilities
Storage conditions :	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool.

7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

PETROLEUM GASES, LIQUEFIED (68476-85-7)	
United Kingdom - Occupational Exposure Limits	
WEL TWA (OEL TWA) [1]	< 1750 mg/m³
WEL STEL (OEL STEL)	< 2180 mg/m³

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

**Appropriate engineering controls:** Ensure good ventilation of the work station.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 8.2.2. Personal protection equipment

#### Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

Eye protection: Safety glasses

#### 8.2.2.2. Skin protection

Skin and body protection: Wear suitable protective clothing

#### Hand protection:

Protective gloves

#### 8.2.2.3. Respiratory protection

#### **Respiratory protection:**

In case of insufficient ventilation, wear suitable respiratory equipment

### 8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Green.
Odour	Characteristic odour.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: Not applicable
Freezing point	No data available
Boiling point	: No data available
Flash point	: -60 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Extremely flammable aerosol.
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: Pressurised container: May burst if heated.
Oxidising properties	: No data available
Explosive limits	: No data available

#### 9.2. Other information

No additional information available

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Extremely flammable aerosol. Pressurised container: May burst if heated.

**10.2. Chemical stability** 

Stable under normal conditions.

**10.3. Possibility of hazardous reactions** 

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

**10.5.** Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

#### **SECTION 11: Toxicological information**

#### **11.1 Information on toxicological effects**

Acute toxicity (oral) :	Not classified	
Acute toxicity (dermal) :	Not classified	
Acute toxicity (inhalation)	Not classified	
Skin corrosion/irritation :	Not classified	
Serious eye damage/irritation :	Causes serious eye irritation.	
Respiratory or skin sensitisation :	Not classified	
Germ cell mutagenicity :	Not classified	
Carcinogenicity :	Not classified	
Reproductive toxicity :	May cause harm to breast-fed children.	
STOT-single exposure :	May cause drowsiness or dizziness.	
ACETONE (67-64-1)		
STOT-single exposure	May cause drowsiness or dizziness.	
N-BUTYL ACETATE (123-86-4)		
STOT-single exposure	May cause drowsiness or dizziness.	
ETHYL ACETATE (141-78-6)		
STOT-single exposure	May cause drowsiness or dizziness.	
STOT-repeated exposure :	Not classified	
Aspiration hazard :	Not classified	
ARCO SURVEY SPRAY PAINT GREEN 750ML 5717803		
Vaporizer	Aerosol	

SECTION 12: Ecological information		
12.1. Toxicity		
Ecology - general	: Toxic to aquatic life with long lasting effects.	

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

according to Regulation (EC) No. 1907/2000 (REACH) with	
Hazardous to the aquatic environment, short-term	: Not classified
(acute) Hazardous to the aquatic environment, long-term (chronic)	: Toxic to aquatic life with long lasting effects.
Not rapidly degradable	
12.2. Persistence and degradability	
No additional information available	
12.3. Bioaccumulative potential	
No additional information available	
12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB assessment	
Component	
ALKANES, C14-17, CHLORO (85535-85-9)	This substance meets the PBT criteria of REACH regulation, annex XIII This substance meets the vPvB criteria of REACH regulation, annex XIII
12.6. Other adverse effects	
No additional information available	
SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
SECTION 14: Transport information	
In accordance with ADR	
	ADR
14.1. UN number	
	UN 1950
14.2. UN proper shipping name	
Transport document description	AEROSOLS
	ROSOLS, 2.1, (D), ENVIRONMENTALLY HAZARDOUS
14.3. Transport hazard class(es)	
	2.1
14.4. Packing group	2.1
14.4. Packing group	2.1 Vot applicable
14.4. Packing group 14.5. Environmental hazards	

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

ADR		
No supplementary information available		
14.6. Special precautions for user		
Overland transport		
Classification code (ADR)	: 5F	
Special provisions (ADR)	: 190, 327, 344, 625	
Limited quantities (ADR)	: 11	
Excepted quantities (ADR)	: E0	
Packing instructions (ADR)	: P207, LP200	
Special packing provisions (ADR)	: PP87, RR6, L2	
Mixed packing provisions (ADR)	: MP9	
Transport category (ADR)	: 2	
Special provisions for carriage - Packages (ADR)	: V14	
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV9, CV12	
Special provisions for carriage - Operation (ADR)	: S2	
Tunnel restriction code (ADR)	: D	

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

### **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

#### **REACH Annex XVII (Restriction List)**

Contains no REACH substances with Annex XVII restrictions

#### **REACH Annex XIV (Authorisation List)**

Contains no REACH Annex XIV substances

#### **REACH Candidate List (SVHC)**

Contains a substance on the REACH candidate list: Medium-chain chlorinated paraffins (MCCP) (EC 287-477-0, CAS 85535-85-9)

#### **PIC Regulation (Prior Informed Consent)**

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

#### Ozone Regulation (1005/2009)

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

#### **Explosives Precursors Regulation (2019/1148)**

Contains substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

#### ANNEX II REPORTABLE EXPLOSIVES PRECURSORS

List of substances on their own or in mixtures or in substances for which suspicious transactions and significant disappearances and thefts are to be reported to the relevant national contact point within 24 hours.

Name	CAS-No.	Nomenclature	Combined Nomenclature code for mixture without constituents which would determine classification under another CN code
Acetone	67-64-1	2914 11 00	ex 3824 99 92

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Please see https://ec.europa.eu/home-affairs/system/files/2021-11/list\_of\_competent\_authorities\_and\_national\_contact\_points\_en.pdf

#### **Drug Precursors Regulation (273/2004)**

Contains substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

Name	CN designation	CAS-No.	CN code	Category	Threshold	Annex
Acetone		67-64-1	2914 11 00	Category 3		Annex I

#### 15.1.2. National regulations

#### France

Occupational diseases				
Code	Description			
RG 84	nditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid lrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; ohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; nethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and hethylsulfoxide			
Germany				
Employment restrictions	<ul> <li>Observe restrictions according Act on the Protection of Working Mothers (MuSchG).</li> <li>Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG).</li> </ul>			
Water hazard class (WGK)	: WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1).			

: Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

#### Netherlands

Netherlands		
SZW-lijst van kankerverwekkende stoffen SZW-lijst van mutagene stoffen SZW-lijst van reprotoxische stoffen – Borstvoeding SZW-lijst van reprotoxische stoffen – Vruchtbaarheid	:	ALKANES, C14-17, CHLORO,PETROLEUM GASES, LIQUEFIED are listed ALKANES, C14-17, CHLORO,PETROLEUM GASES, LIQUEFIED are listed ALKANES, C14-17, CHLORO is listed None of the components are listed
		None of the components are listed
SZW-lijst van reprotoxische stoffen – Ontwikkeling	•	None of the components are listed
Denmark		
Class for fire hazard	:	Add boilingpoint
Store unit	:	Add boilingpoint
Classification remarks	:	Add boilingpoint; Emergency management guidelines for the storage of flammable liquids must be followed
Danish National Regulations	:	Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with the product
Switzerland		
Storage class (LK)		LK 2 - Liquefied or pressurized asses

Storage class (LK)

: LK 2 - Liquefied or pressurized gases

#### 15.2. Chemical safety assessment

Hazardous Incident Ordinance (12. BImSchV)

No chemical safety assessment has been carried out

# **SECTION 16: Other information**

Abbreviations and acronyms:			
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways		
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road		
ATE Acute Toxicity Estimate			

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Abbreviations and acronyms:				
BCF	Bioconcentration factor			
BLV	Biological limit value			
BOD	Biochemical oxygen demand (BOD)			
COD	Chemical oxygen demand (COD)			
DMEL	Derived Minimal Effect level			
DNEL	Derived-No Effect Level			
EC-No.	European Community number			
EC50	Median effective concentration			
EN	European Standard			
IARC	International Agency for Research on Cancer			
ΙΑΤΑ	International Air Transport Association			
IMDG	International Maritime Dangerous Goods			
LC50	Median lethal concentration			
LD50	Median lethal dose			
LOAEL	Lowest Observed Adverse Effect Level			
NOAEC	No-Observed Adverse Effect Concentration			
NOAEL	No-Observed Adverse Effect Level			
NOEC	No-Observed Effect Concentration			
OECD	Organisation for Economic Co-operation and Development			
OEL	Occupational Exposure Limit			
РВТ	Persistent Bioaccumulative Toxic			
PNEC	Predicted No-Effect Concentration			
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail			
SDS	Safety Data Sheet			
STP	Sewage treatment plant			
ThOD	Theoretical oxygen demand (ThOD)			
TLM	Median Tolerance Limit			
VOC	Volatile Organic Compounds			
CAS-No.	Chemical Abstract Service number			
N.O.S.	Not Otherwise Specified			
vPvB	Very Persistent and Very Bioaccumulative			
ED	Endocrine disrupting properties			

Full text of H- and EUH-statements:			
Acute Tox. 4 (Oral) Acute toxicity (oral), Category 4			
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1		
Aquatic Chronic 1	quatic Chronic 1 Hazardous to the aquatic environment – Chronic Hazard, Category 1		
EUH066	Repeated exposure may cause skin dryness or cracking.		
EUH208 Contains . May produce an allergic reaction.			

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Full text of H- and EUH-statements:				
Eye Dam. 1	Serious eye damage/eye irritation, Category 1			
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2			
Flam. Gas 1	Flammable gases, Category 1			
Flam. Liq. 2	Flammable liquids, Category 2			
Flam. Liq. 3	Flammable liquids, Category 3			
H220	Extremely flammable gas.			
H222	Extremely flammable aerosol.			
H225	Highly flammable liquid and vapour.			
H226	Flammable liquid and vapour.			
H229	Pressurised container: May burst if heated.			
H302	Harmful if swallowed.			
H314	Causes severe skin burns and eye damage.			
H318	Causes serious eye damage.			
H319	Causes serious eye irritation.			
H336	May cause drowsiness or dizziness.			
H362	May cause harm to breast-fed children.			
H400	Very toxic to aquatic life.			
H410	Very toxic to aquatic life with long lasting effects.			
H411	Toxic to aquatic life with long lasting effects.			
Lact.	Reproductive toxicity, Additional category, Effects on or via lactation			
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B			
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis			

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.