



ADD GARDS

MULTI-PURPOSE BARRIERS

Stylish, durable and versatile barriers to protect the public from the hazards of on-site general maintenance.



SAFE - STYLISH - STRONG

HANDI-GARD


THE GENERAL MAINTENANCE BARRIER



Rubber Base Stand

Can be used outdoors during windy conditions or if the Handi-Gard is used in a straight line.

Fold away




FEATURES:

- All panels are modular and can link together to enclose any shape or size area.
- Lightweight.
- Panels fold away for easy storage.
- Made from durable polyethelene plastic.
- Suitable for both indoors and outdoors.
- Easy to clean.
- Permanent *Mold In Graphics* with caution sign as standard.
- Bright yellow colour for high impact.

The Handi-Gard General Maintenance Barrier complies to BS 7801 1995 Safe working on Escalators and passenger Conveyors in use



Interchangeable discs to change signs



Easy to carry

SPECIFICATIONS:

- Available in set of 2 or 3 panels
- Each panel: 800mm high x 970mm wide x 30mm thick
- Weight per panel: 3kg



For maintenance in a busy area



Suitable for elevator repairs



Reflective signage available (recommended for outdoors)

SAFE - STYLISH - STRONG

THE ELEVATOR GARD

JOINTLY DESIGNED WITH THE ELEVATOR & ESCALATOR INDUSTRY



The Elevator Gard can be made in your corporate colours and with the signage of your choice.
See next page



FEATURES:

- Complete modular units that can link together to form larger units
- Fold away barrier system made from durable polyethylene plastic.
- Non conductive, telescopic poles stored inside the barriers.
- Lightweight yet extremely strong
- Suitable for 1300mm openings
- Designed to comply with health and safety regulations recommendation PM26

SPECIFICATIONS:

- Ø Admittance Authorized Personnel Only Signs as standard.
- 2 Panels 1100mm high x 660mm wide x 40mm thick.
- Weight: approx 9kg
- Telescopic poles extend to 2.2m above FFL



The Elevator Gard is now 1100mm high to comply with BS7255:2001



MINDER

THE FRIENDLY BARRIER

FEATURES:

- Stand alone or link together
- Fold away stand
- Very light and robust
- Stacks flat for easy storage
- Lightweight but practically unbreakable
- Bright yellow colour for high impact.



SPECIFICATIONS:

- Size 1030mm x 780mm x 26mm
- Weight: 2.5Kg

For use in all public areas:

- Supermarkets & Shopping Centres,
- Fast Food Restaurants, Hospitals,
- Schools, Airports etc.
- Available in different languages
- Special Colours or Signs, *See next page*

SIX MESSAGES ARE SUPPLIED WITH EACH MINDER:

- | | |
|--------------------------|----------------------|
| Caution - Out of Service | Danger - Keep Out |
| Caution - Wet Floor | Cleaning in Progress |
| Temporarily Closed | Caution - Work Area |

SAFE - STYLISH - STRONG

ONE METER OUTDOOR BARRIER



FEATURES:

- Complies with UK Chapter 8 regulations for road works.
- Available with Addgards hinges or stainless steel hinges for uneven surfaces.
- Option of solid centre panel for signage. Reflective signage across the top of panel as standard.
- 2 meter bar barrier with reflective signage also available

SPECIFICATIONS:

- 1 meter high x 1 meter wide x 40mm thick
- Weight: 3kg per panel.



1 meter closed barrier with Addgard solid hinge



2 sets x 1 meter open barriers with stainless steel loop hinge connected to 2 meter bar



Base available for extra stability in windy conditions

BARRIER'S MADE TO ORDER



Addgards can provide the following services:

- Manufacture all barriers in the colours of your choice.
- Print special signage and corporate logos.
- Permanently emboss the barriers for tracing and security purposes.

Please call the number below for further details.

