STYLE REF: **RF7000** STYLE NAME: **VULCAN**



SPECIFICATION: EN ISO 20349-1:2017 S3 HI CI HRO SRC Fe | UK 5-14 (WHOLE SIZES) | COLOUR: BLACK

PROTECTIVE TOECAP AND MIDSOLE, VULCAN IS A FOUNDRY BOOT DEVELOPED WITH SPECIALIST DURABILITY MATERIALS THAT ARE CERTIFIED TO WITHSTAND MOLTEN SPLASHES AS HIGH AS 1400°C, INCLUDING FORCE10® COMPONENTS, FR LEATHER AND R-TEN™ FR STITCHING AND ORTHOLITE® CLIMATE BREATHABLE FOOTBED.



Upper Material

Flame Retardant full grain black leather stitched with R-TEN™ FR thread

Protective Components

Protective fibreglass toecap (rated to 200J) and composite anti-penetration flexi-midsole

Lining Materials

Moisture wicking breathable mesh fabric lining

Scuff Cap and Outsole

FORCE10® solid nitrile rubber outsole - tested to extraordinary abrasion, heat and cold performance levels **Footbed**

Ortholite® climate breathable footbed

SUBJECT TO CHANGE WITHOUT PRIOR NOTICE: 01/01/2020

EU TYPE EXAMINATION CERTIFICATE

intertek



APPROVED BODY 0362

The foundry footwear detailed herein meets the criteria of an EU Type Examination in accordance with Annex V, including the applicable clauses of the Essential Health and Safety Requirements of the PPE Regulation EU 2016/425 for Category III products.

This has been shown through satisfactory testing to EN ISO

20345: 2011,

EN ISO 20349-1: 2017 and examination of the Technical File Documentation.

Following an EU Declaration of Product Conformity, you are hereby licensed to mark the product(s) detailed in accordance with Article 17 of the PPE Regulation EU 2016/425

ITS Testing Services (UK) Ltd. Centre Court Meridian Business Park Leicester, LE19 1WD **United Kingdom**

Phone: +44 (0)116 263 0330 +44 (0)116 263 0311

Issued to : ROCK FALL UK LTD.

WIMSEY WAY ALFRETON TRADING ESTATE, DERBYSHIRE U.K. DE55

Date of Issue : 17 December 2019

Expiry Date : 17 December 2024

Certificate No. : LECFI00376595

Product Reference(s) : Rock Fall RF7000 VULCAN

Intended use : Foundry

Description : Construction Cemented Toecap **PEP-Composite**

Test Report(s)

Midsole PEP-Composite Last #PEP-PL Sole 2147# RB

Mould #PEP-PS See Technical file

Size Range 3-14#

Category S3 CI HI FE HRO SRC

The products detailed above shall also be subject to regular assessments in accordance with Module C2 of the PPE Regulation 2016/425



Date: 17/12/2019 Assessor:

Certification Manager: Date: 17/12/2019

For and on behalf of ITS Testing Services (UK) Limited



EU DECLARATION OF CONFORMITY

Rock Fall UK, Major House, Unit 1/3, Wimsey Way, Alfreton, Derbyshire, DE55 4LS United Kingdom

Tel: 01773 608616 Email: sales@rockfall.com

The manufacturer or his nominated representative established in the community;

ROCK FALL UK LTD, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS, UNITED KINGDOM

Declares that the PPE described hereafter;

ROCK FALL RF7000 Vulcan

Is in conformity with the provisions of PPE Regulation EU 2016/425 for Category III and, where such is the case, with the national standard transposing the union harmonised standard no. EN ISO 20345:2011/EN ISO 20349-1:2017

This declaration of conformity is issued under the sole responsibility of the manufacturer;

ROCK FALL UK LTD, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS, UNITED KINGDOM

Is identical to the PPE submitted to: ITS Testing Services (UK) Ltd, Centre Court, Meridian Business Park, Leicester, LE19 1WD United Kingdom. Approved Body 0362. who performed the Eu type examination (Module B) and issued the EU type -examination certificate: LECF100366973

The PPE is subject to the procedure set out in **Module C2** of the PPE Regulation EU 2016/425 under the supervision of the notified body:

ITS Testing Services (UK) Ltd, Centre Court, Meridian Business Park, Leicester, LE19 1WD United Kingdom. Approved Body 0362.

Signature: Position: Director Date: 1/07/2019